

TM 11-6625-620-45-3

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

GS, AND DEPOT MAINTENANCE MANUAL

TEST SET, RELAY TS-836/UGM-1



HEADQUARTERS, DEPARTMENT OF THE ARMY

20 NOVEMBER 1967

GS and Depot Maintenance Manual

TEST SET, RELAY TS-836/UGM-1

	Paragraph	Page
CHAPTER 1. INTRODUCTION		
Scope -----	1-1	1-1
Indexes of publications -----	1-2	1-1
CHAPTER 2. FUNCTIONING OF EQUIPMENT		
SECTION I. Block diagram		
General -----	2-1	2-1
Power supply -----	2-2	2-1
Timing circuit-----	2-3	2-1
Output circuit-----	2-4	2-1
II. Detailed functioning of electronic circuits		
General -----	2-5	2-3
Bridge rectifiers (CR1-CR4 and CR5-CR13)-----	2-6	2-3
Voltage regulators (-100- and +100-volt)-----	2-7	2-3
Regulation of output voltage-----	2-8	2-3
Current determining circuit-----	2-9	2-4
Timing circuit-----	2-10	2-5
CHAPTER 3. TROUBLESHOOTING		
SECTION I. General troubleshooting techniques		
General instructions -----	3-1	3-1
Organization of troubleshooting procedures-----	3-2	3-1
Test equipment required-----	3-3	3-5
Calibration of test equipment-----	3-4	3-5
II. Troubleshooting TS-836/UGM-1		
Localizing troubles -----	3-5	3-8
Isolating trouble within stage -----	3-6	3-10
Analysis of measurements -----	8-7	3-10
Dc resistance of transformer T1-----	3-8	3-10
CHAPTER 4. GENERAL SUPPORT REPAIRS AND ALIGNMENT		
General parts replacement techniques -----	4-1	4-1
Disassembly of TS-336/UGM-1 -----	4-2	4-1
Replacement procedures-----	4-3	4-2
Adjustments-----	4-4	4-2
CHAPTER 5. GENERAL SUPPORT TESTING PROCEDURES		
General -----	5-1	5-1
Test equipment, tools, and materials-----	5-2	5-1
Test facilities -----	5-3	5-1
Fabrication of test cables-----	5-4	5-2
Modification work orders -----	5-5	5-2
Physical tests and inspection -----	5-6	5-3
Power supply test-----	5-7	5-5
Speed test-----	5-8	5-7
Bias test -----	5-9	5-11

*This manual supersedes TM 11-6625-620-45-3, 6 December 1966.

	Paragraph	Page
Contact efficiency test-----	5-10	
Contact bounce test-----	5-11	5-13
Electromic relay operational test-----	5-12	6-15
Summary of performance standards-----	5-13	6-16
CHAPTER 6. DEPOT MAINTENANCE		
General-----	6-1	6-1
Maintenance procedures-----	6-2	6-1
CHAPTER 7. DEPOT OVERHAUL STANDARDS		
Applicability of depot overhaul standards-----	7-1	7-1
Applicable references-----	7-2	7-1
Depot overhaul requirements-----	7-3	7-1
APPENDIX REFERENCES-----		A-1

CHAPTER 1 INTRODUCTION

1-1. Scope

a. This manual contains general support and depot maintenance instructions for Test Set, Relay TS-836/UGM-1. It includes instructions appropriate to general support and depot maintenance for troubleshooting, testing, aligning, and repairing the equipment. It also lists tools, materials, and test equipment required for general support and depot maintenance. Functional analysis of the equipment is covered in this chapter.

b. The complete technical manual for this equipment includes TM 11-6625-620-12 and TM 11-6625-620-25P-3.

1-2. Indexes of Publications

a. Refer to the latest issue of DA Pam 310-4 to determine whether there are new editions, changes, or additional publications pertaining to the equipment.

b. Refer to DA Pam 310-7 to determine whether there are modification work orders (MWO's) pertaining to the equipment.

1-3. Forms and Records

a. *Reports of Maintenance and Unsatisfactory Equipment.* Maintenance forms, records, and reports which are to be used by maintenance personnel at all maintenance levels are listed in

and prescribed by TM 38-750.

b. *Report of Packaging and Handling Deficiencies.* Fill out and forward DD Form 6 (Report of Packaging and Handling Deficiencies) as prescribed in AR 700-58/NAVSUP PUB 378/AFR 71-4/MCO P4030.29, and DSAR 4145.8.

c. *Discrepancy in Shipment Report (DISREP) (SF 361).* Fill out and forward Discrepancy in Shipment Report (DISREP) (SF 361) as prescribed in AR 55-38/NAVSUPINST 4610.33/AFM 75-18/MCO P4610.19A, and DSAR 4500.15.

d. Report of errors, omissions, and recommendations for improving this manual by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commanding General, US Army Electronics Command, ATTN: AMSEL-MA-ML, Fort Monmouth, NJ 07703.

1-4. Destruction of Army Materiel

Demolition and destruction of this equipment will be under the direction of the commander and in accordance with TM 750-422-2.

1-5. Administrative Storage

For procedures, forms and records, and inspections required during administrative storage of this equipment, refer to TM 740-90-1.