

# TM 11-6625-1633-12

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

---

**OPERATOR'S AND ORGANIZATIONAL  
MAINTENANCE MANUAL**

**INCLUDING  
REPAIR PARTS AND SPECIAL TOOL LISTS**

**GENERATOR,  
SIGNAL  
AN/URM 149**

**(NSN 6625-00-903-3501)**

This copy is a reprint which includes current pages from Changes 1 and 2.

---

**HEADQUARTERS DEPARTMENT OF THE ARMY  
OCTOBER 1967**

TECHNICAL MANUAL }  
 NO. 11-6625-1633-12

HEADQUARTERS  
 DEPARTMENT OF THE ARMY  
 WASHINGTON, DC, 18 October 1967

**OPERATOR'S AND ORGANIZATIONAL MANUAL  
 INCLUDING REPAIR PARTS AND  
 SPECIAL TOOL LISTS  
 GENERATOR, SIGNAL AN/URM-149  
 (NSN 6625-00-903-3501)**

	Paragraph	Page
CHAPTER 1	INTRODUCTION	
Section I.	General	
	Scope.....	1-1 1-1
	Indexes of publications.....	1-2 1-1
	Forms and records.....	1-3 1-1
	Reporting of errors.....	1-3.1 1-1
	Reporting equipment improvement recommendations (EIR).....	1-3.2 1-1
	Administrative storage.....	1-3.3 1-1
	Destruction of Army electronics materiel.....	1-3.4 1-1
Section II.	Description and Data	
	Purpose and use.....	1-4 1-1
	Technical characteristics.....	1-5 1-1
	Components of Generator, Signal AN/URM-149.....	1-6 1-2
	Items comprising an operable Generator, Signal AN/URM-149.....	1-6.1 1-2
	Description of Generator, Signal AN/URM-149.....	1-7 1-2
CHAPTER 2.	INSTALLATION	
	Packaging.....	2-1 2-1
	Uncrating, unpacking, and checking equipment.....	2-2 2-1
	Seating of tubes and fuses.....	2-3 2-1
	Installation of signal generator.....	2-4 2-2
CHAPTER 3.	OPERATING INSTRUCTIONS	
Section I.	Operator's Controls and Indicators	
	Damage from improper settings.....	3-1 3-1
	Generator, Signal SG-165/U, operating controls and indicators.....	3-2 3-1
Section II.	Operation Under Usual Conditions	
	Types of operation.....	3-3 3-3
	Starting procedure.....	3-4 3-3
	Operating procedures.....	3-5 3-4
	Stopping procedures.....	3-6 3-4
Section III.	Operation Under Unusual Conditions	
	General.....	3-7 3-5
	Operation in arctic climate.....	3-8 3-5
	Operation in tropical climates.....	3-9 3-5
	Operation in desert climates.....	3-10 3-5
CHAPTER 4.	MAINTENANCE INSTRUCTIONS	
	Scope of maintenance.....	4-1 4-1
	Special tools and equipment required for maintenance.....	4-2 4-1
	Preventive maintenance.....	4-3 4-1

**TM 11-6625-1633-12**

	Paragraph	Page
	Preventive maintenance checks and services periods .....	4-4 4-1
	Daily preventive maintenance checks and services chart .....	4-5 4-2
	Weekly preventive maintenance checks and services chart .....	4-6 4-3
	Monthly preventive maintenance checks and services chart.....	4-7 4-4
	Cleaning .....	4-8 4-4
	Touchup painting instructions.....	4-9 4-4
	General troubleshooting information.....	4-10 4-4
	Troubleshooting chart .....	4-11 4-5
	Repairs and adjustments.....	4-12 4-5
<b>CHAPTER 5.</b>	<b>SHIPMENT, LIMITED STORAGE, AND DEMOLITION</b>	
	<b>OF MATERIAL TO PREVENT ENEMY USE</b>	
<b>Section I.</b>	<b>Shipment and Limited Storage</b>	
	Disassembly of equipment.....	5-1 5-1
	Repackaging for shipment or limited storage.....	5-2 5-1
<b>Section II.</b>	<b>Demolition of Materiel to Prevent Enemy Use</b>	
	Authority for demolition .....	5-3 5-1
	Methods of destruction.....	5-4 5-2
<b>Appendix A.</b>	<b>REFERENCES .....</b>	<b>A-1</b>
<b>Appendix B.</b>	<b>BASIC ISSUE ITEMS LIST</b>	
<b>Section I.</b>	<b>Introduction .....</b>	<b>B-1</b>
<b>Section II.</b>	<b>Basic issue items list .....</b>	
<b>APPENDIX C.</b>	<b>MAINTENANCE ALLOCATION</b>	
<b>Section I.</b>	<b>Introduction.....</b>	<b>C-1</b>
<b>Section II.</b>	<b>Maintenance allocation chart .....</b>	<b>C-3</b>
<b>Section III.</b>	<b>Tool and test equipment requirements.....</b>	
<b>Section IV.</b>	<b>Remarks.....</b>	

**CHAPTER 1  
INTRODUCTION**

---

**Section I. GENERAL**

**1-1. Scope**

This manual describes Generator, Signal AN/URM-149 (fig. 1-1) and provides instructions for installation, operation and operator and organizational maintenance. It includes instructions for operation under usual and unusual conditions and for replacement of parts which are available to the operator and organizational repair technician.

**1-2. Indexes of Publications**

a. *DA Pam 310-4.* Refer to the latest issue of DA Pam 310-4 to determine whether there are new editions, changes, or additional publications pertaining to the equipment.

b. *DA Pam 310-7.* Refer to DA Pam 310-7 to determine whether there are modification work orders (MWO's) pertaining to the equipment.

**1-3. Forms and Records**

a. *Reports of Maintenance and Unsatisfactory Equipment.* Maintenance forms, records, and reports which are to be used by maintenance personnel at all maintenance levels are listed in and prescribed by TM 38-750.

b. *Report of Packaging and Handling Deficiencies.* Fill out and forward DD Form 6 (Packaging Improvement Report) as prescribed in AR 700-58/NAVSUPINST 4030.29/AFR 7113/MCO P 4030.29A, and DSAR 4145.8.

c. *Discrepancy in Shipment Report (DISREP) (SF 361).* Fill out and forward Discrepancy in Shipment Report (DISREP) (SF 361) as prescribed in AR 55-

38/NAVSUPINST 4610.3.3A ARF 75-18/MCO P4610.19B and DSAR 4500.15.

**1-3.1. Reporting of Errors**

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army Electronics Command, ATTN: DRSEL-MA-Q, Fort Monmouth, NJ 07703.

**1-3.2. Reporting Equipment Improvement Recommendations (EIR)**

EIR's will be prepared using DA Form 2407 (Maintenance Request). Instructions for preparing EIR's are provided in TM 38-750, The Army Maintenance Management System. EIR's should be mailed direct to Commander, US Army Electronics Command, ATTN: DRSEL-MA-Q, Fort Monmouth, NJ 07703.

**1-3.3. Administrative Storage**

Administrative storage of equipment issued to and used by Army activities shall be in accordance with TM 740-90-1.

**1-3.4. Destruction of Army Electronics Materiel**

Destruction of Army electronics materiel to prevent enemy use shall be in accordance with TM 750-244-2.

**Section II. DESCRIPTION AND DATA**

**1-4. Purpose and Use**

Generator, Signal AN/URM-149 is a portable signal generator capable of producing unmodulated or frequency modulated (FM) signals in the 600- to 1,850-magacycle (me) signal range. The AN/URM-149 is used for testing, aligning, and repairing FM receivers operating within its frequency range.

**1-5. Technical Characteristics**

Frequency range..... 600 to 1,850 mc.  
 Type of output..... RF; unmodulated or frequency modulated.  
 Internal modulation characteristics:  
     Frequencies available..... 1 kc, 1.6 kc, 20 kc, 68 kc, and 108 kc.  
     Deviation..... 0 to 300 kc.