

TM 11-6625-1711-25P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DS, GS, AND DEPOT MAINTENANCE REPAIR

PARTS AND SPECIAL TOOL LISTS

TEST SET, SIMULATOR AN/APM-245

HEADQUARTERS, DEPARTMENT OF THE ARMY

FEBRUARY 1971

TECHNICAL MANUAL }
 No. 11-6625-1711-25P }

HEADQUARTERS
 DEPARTMENT OF THE ARMY
 WASHINGTON, D.C., 18 February 1971

**Organizational, DS, GS, and Depot Maintenance Repair
 Parts and Special Tool Lists**

TEST SET, SIMULATOR AN/APM-245

Current as of 13 November 1970

	Paragraph	Page
SECTION I. INTRODUCTION		
Scope	1	2
General	2	2
Explanation of columns	3	2
Special information	4	4
Location of repair parts	5	4
Federal supply code for manufacturers	6	5
Recommendations for maintenance publication improvements	7	5
II. PRESCRIBED LOAD ALLOWANCE		6
III. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE		7
IV. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR ORGANIZATIONAL MAINTENANCE (Nonapplicable).		
V. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE		8
VI. SPECIAL TOOLS, TEST, AND SUPPORT EQUIPMENT FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (Nonapplicable).		
VII. INDEX—FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION		43

SECTION I

INTRODUCTION

1. Scope

This manual lists repair parts and special tools required for the performance of organizational, general support, and depot maintenance of the AN/APM-245. No parts authorized for stockage at direct support maintenance.

2. General

This repair parts and special tools list is divided into the following sections:

a. Prescribed Allowance (PLA)-Section II. A composite of repair parts, special tools, test and support equipment having quantitative allowances for initial stockage at the organizational level.

b. Repair Parts for Organizational Maintenance-Section III. A list of repair parts authorized for the performance of maintenance at the organizational level.

c. Special Tools, Test and Support Equipment for Organizational Maintenance-Section IV. Not applicable.

d. Repair Parts for Direct Support, General Support, and Depot Maintenance-Section V. A list of repair parts authorized for the performance of maintenance at the general support and depot level.

e. Special Tools, Test, and Support Equipment for Direct Support, General Support, and Depot Maintenance-Section VI. Not applicable.

f. Index-Federal Stock Number Cross-Reference to Figure and Item Number or Reference Designation-Section VII. A list of Federal stock numbers in ascending numerical sequence, followed by a list of reference numbers appearing in ascending alphanumeric sequence, cross-referenced to the figure number and item number.

3. Explanation of Columns

The following provides an explanation of columns in the tabular lists:

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source codes indicate the selection status and source for the list item. Source codes are-

<i>Code</i>	<i>Explanation</i>
P	Repair parts which are stocked in or supplied from the GSA/DSA, or Army supply system and authorized for use at indicated maintenance categories.
P2	Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
P9	Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41.
P10	Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41, and which are stocked and supplied by the Army COMSEC logistic system.
M	Repair parts which are not procured or stocked, but are to be manufactured at indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the